

RAMPAGE



PASSION FOR THE DARTS



WORKER

F10555



AK
HOMME

X.S.W ML30

AK-BLASTER MOD SHOP IS AN ONLINE SHOP AND WE MAKE PRODUCTS TO MODIFY AND CUSTOMIZE NERF BLASTER.

WE OFFER WORKER MOD, F10555, MEN-GUN MOD, AK TACTICAL GEAR.XSW.ML30, ARTIFACT, ETC BRAND PRODUCTS ON BLASTER MODDING. WE PROVIDE SERVICES ON CUSTOMIZE BLASTER WITH PARTS, 3D PRINTING AND PAINT WORKS.

WE ORGANIZE BLASTER GAME ACTIVITIES AND NERF PARTY FOR KIDS. WE OFFER VENUE DESIGN, CUSTOMIZE INVITATION CARDS, HEALTHY FOODS AND CAKE, ORGANIZE NERF BATTLE GAME AND PHOTOGRAPHY SERVICES.

Disclaimer

Disclaimer:

Individual results may vary. Modding blasters is a hobby of ours, and in no way do we claim to be experts on the subject. We've written this manual for other enthusiasts who want to accomplish what we have with our blasters. However, due to legal reasons, we're unable to guarantee any results and the content in this manual should not be considered professional advice.

The use of this information and recommended products should be based on your own due diligence. You agree not to hold the authors and/or distributors of this manual liable for any success or failure of your endeavors that are directly or indirectly related to the purchase and use of our information, recommended products and services.



Make sure you have good knowledge on electric circuit and modding skill. Please read below instruction carefully and reference to online video on installing instruction.

INSTALLATION STEPS

Supplies Needed:

- Small Phillips Head Screwdriver
- Small Flat Head Screwdriver

Step 1:

Remove the screw that fastening the stock grip and leave the metal hook at the middle.




Step2:

Remove the screws on the grip, pick the metal screw and O-Ring out and put a side.

**Step3:**

Insert the metal screw and O-Ring into the blaster hook as shown, be careful the direction of the screw.




Step4:

Install the plastic tube rail under the barrel jacket, insert the end adaptor onto the blaster as shown.



Step5:

Setup the plastic tube in correct position, fasten the self-tapping screws into the blaster body, and secure the tube well under the blaster barrel jacket



Step6:

Install the grip back to the plastic tube rail, check if the grip in correct position and fasten all the screws back to the grip. Check smooth sliding and the metal screw keep secure with the blaster hook.

